



100% MADE IN THE USA

## Gel29<sup>®</sup> Copper Coils

### APPLICATIONS

GEL29<sup>®</sup> Copper Coils are a durable and reliable solution for any HVACR application. GEL29<sup>®</sup> Copper Coils are manufactured from UNS C12200 grade copper according to ASTM B280 standards. GEL29<sup>®</sup> Copper Coils is available in pancake coils ranging from 1/4" to 7/8" tube diameter and lengths of 50' and 100'.

### TECHNICAL SPECS

#### COPPER

Made in USA seamless anti corrosion copper tube for air conditioning and refrigeration. Manufactured according to ASTM B280 / ASTM B1003 - C12200 DHP - 700 PSI - 99.9% pure.

**CU %:** 99.9

**P %:** 0.015 to 0.040

**Temper:** 060

**Tensile Strength:** 205 MPa (30.0 ksi Min)

**Elongation %:** >40

**Expansion Test:** Min 40%



100% MADE IN THE USA

# Gel29<sup>®</sup> Copper Coils

TRY IT, LOVE IT<sup>®</sup>

## PRODUCT TABLE

PDM <sup>®</sup> PART NUMBER	OD	*PALLET QTY	LENGTH (FT)
PC-1450	1/4	120	50
PC-51650	5/16	80	50
PC-3850	3/8	64	50
PC-1250	1/2	36	50
PC-5850	5/8	26	50
PC-3450	3/4	20	50
PC-7850	7/8	12	50
PC-14100	1/4	64	100
PC-516100	5/16	40	100
PC-38100	3/8	32	100
PC-12100	1/2	18	100
PC-58100	5/8	13	100
PC-34100	3/4	10	100
PC-78100	7/8	6	100

\*Pallet quantities subject to change without notice.

Pallets for 1/4" and 3/8" sizes ship in 8 smaller boxes per pallet for ease of handling.

# TRY IT, LOVE IT®



## MADE IN USA



Ph: 803.909.8100 | Fx: 803.909.8725 | E: [info@pdmus.com](mailto:info@pdmus.com) | [www.pdmus.com](http://www.pdmus.com)

The contents of this catalog and product descriptions are for general information purposes only. For technical product specifications, please refer to the latest PDM® official material data sheets. If you would like to receive a copy, please visit [www.pdmus.com](http://www.pdmus.com) and click on **Technical Data** or contact us at [info@pdmus.com](mailto:info@pdmus.com).